

HUSTLER

STYLE & PERFORMANCE

Experience unmatched protection and comfort with HUSTLER, now eco-designed. Featuring a robust wraparound frame, it offers maximum protection for any environment. TIPGRIP temples and a non-slip nose bridge ensure optimal fit and enhanced comfort, keeping your eyewear securely in place. Enjoy crystal-clear vision with our PLATINUM Lite anti-scratch and anti-fog coating. Choose from CSP filtering lens options: Smoke, Polarized, or Cobalt Flash Polarized. Proudly crafted with 70% recycled materials in clear and smoke versions and 46% in polarized versions, HUSTLER is the most sustainable choice. Our eyewear uses recycled polycarbonate lenses (clear and smoke) and recycled nylon/EVA for the frame and temples, setting a new standard in eco-friendly protection.

31 G

- + CRYSTAL-CLEAR VISION WITH PLATINUM LITE: ANTI-SCRATCH & ANTI-FOG COATING
- + ROBUST WRAPAROUND FRAME FOR MAXIMUM PROTECTION
- + TIPGRIP TEMPLES AND NON-SLIP NOSE BRIDGE FOR OPTIMAL RETENTION AND ENHANCED COMFORT
- + CRAFTED WITH 70% RECYCLED MATERIALS IN CLEAR AND SMOKE VERSIONS AND 46% IN POLARIZED VERSIONS



TECHNOLOGIES

CSP
POLARIZED
PLATINUM LITE

VERSIONS



HUSTLN10A



HUSTLN20A



HUSTLN50A



HUSTLN51A



HUSTLER						
USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING <small>F: Glasses / B: Glasses with foam and strap kit</small>	COATING	STANDARD
h	CLEAR	HUSTLN10A	IO	AS/NZS 1337.1	PLATINUM LITE	AS/NZS 1337.1:2010
*	SMOKE	HUSTLN20A	I3	AS/NZS 1337.1	PLATINUM LITE	AS/NZS 1337.1:2010
*	COBALT FLASH POLARIZED	HUSTLN50A	I3	AS/NZS 1337.1	PLATINUM LITE	AS/NZS 1337.1:2010
*	SMOKE POLARIZED	HUSTLN51A	I3	AS/NZS 1337.1	PLATINUM LITE	AS/NZS 1337.1:2010

PACKAGING & EAN13 CODE		
SINGLE: <small>Size: 280 x 115 x 44 mm</small>	INNER BOX: <small>Size: 29.7x16x9.7 cm Weight: 0.48 kg</small>	OUTER PACK: <small>Size: 58 x 26 x 41 cm Weight: 6.5 kg</small>
3660740020057	3660740120054 -10 pcs	3660740220051 -120 pcs
3660740020064	3660740120061 -10 pcs	3660740220068 -120 pcs
3660740021757	3660740121754 -10 pcs	3660740221751 -120 pcs
3660740021764	3660740121761 -10 pcs	3660740221768 -120 pcs
CUSTOM CODE: 9004.90.00		

GENERAL SPECIFICATIONS			
LENS	RECYCLED POLYCARBONATE - 2.2 MM	FOAM	-
CURVE	8 - VERY CURVED	STRAP	-
FRAME	RECYCLED NYLON/EVA - FULL FRAME	OPTIONAL	-



CLEANING & STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the glasses or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



MADE IN: TW

DATASHEET: 10-28-2024

bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098



PACKAGING

ECO-POLYBAG

Available on all Bollé Safety's eyewear (except B-Line: 50% recycled)

100% RECYCLED

100% RECYCLABLE



PRODUCT







70%

OF THIS EYEWEAR IS RECYCLED

0.462 kgCO₂e EMISSIONS FOR A FULL PRODUCT LIFE CYCLE

32% CO₂ REDUCTION VS THE SAME STANDARD PRODUCT

VERSIONS				
FRAME/TEMPLES COMPOSITION	RECYCLED NYLON / EVA	RECYCLED NYLON / EVA	RECYCLED NYLON / EVA	RECYCLED NYLON / EVA
LENS COMPOSITION	RECYCLED POLYCARBONATE	RECYCLED POLYCARBONATE	POLYCARBONATE	POLYCARBONATE
% OF TOTAL PRODUCT WEIGHT	70%	70%	46%	46%
CO ₂ Footprint	0,462 kgCO ₂ e	0,462 kgCO ₂ e	0,483 kgCO ₂ e	0,483 kgCO ₂ e
CO ₂ reduction VS standard product	32%	32%	29%	29%

SOURCES : ECOINVENT V3.8 (01/07/2024)

*8.7% reduction thanks to ECO-POLYBAG for 10 units in non-FSC-certified cardboard packaging compared with standard polybag.